



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

TIDEWATER REGIONAL OFFICE

5636 Southern Boulevard, Virginia Beach, Virginia 23462 (757) 518-2000 Fax (757) 518-2103 www.deq.virginia.gov

David K. Paylor Director

Francis L. Daniel Regional Director

April 22, 2008

Mr. Brandt Everhart Associated Naval Architects, Inc. 3400 Shipwright Street Portsmouth, Virginia 23703

Re: **Case Closure**

L. Preston Bryant, Jr Secretary of Natural Resources

Post Site Characterization Monitoring Report – 1st Quarter 2008

Site Name/Location: Associated Naval Architects, Inc., 3400 Shipwright St, Portsmouth

DEQ Tracking Number: PC#05-5160

Dear Mr. Everhart:

Thank you for providing the subject report to the Department of Environmental Quality (DEQ). Based on the information you have provided, the State Water Control Board acting through the DEQ, as authorized by CODE § 62.1-44.34:14 through 23 believes that contamination levels at this site do not warrant further corrective action. This pollution complaint case is now closed. Should future environmental problems occur, which the DEQ determines are related to this release, additional investigation and corrective action may be required in accordance with State

In order to reduce future risks to ground water, all monitoring wells at the site must be properly abandoned. Please submit an Activity Authorization Form for abandoning monitoring wells to this office.

Virginia Law prohibits the payment of corrective action and third party liability reimbursement claims which are filed more than two years after DEQ closes a case. All claims for this release must be received by DEQ no later than April 22, 2010 in order to be eligible for reimbursement.

If you have any questions, please contact me at (757) 518-2055.

Sincerely,

Lynne E. Smith Geologist Senior

Remediation Program

Syme E fm 1 H

McCallum Testing Laboratories (electronic) CC:

File PC#05-5160